



Italian Tanks and Armored Vehicle List

M11/39				
Location	Front	Side	Rear	
10 Turret	3	1.5	1.5	
9 Turret	3	1.5	1.5	
8 Turret	3	1.5	1.5	
7 Hull	3	1.5	1.5	
6 Hull	3	1.5	1.5	
5 Hull	5	1.5	1.5	
4 Track	1.5	1.5^3	1.5	
3 Hull	3	1.5	1.5	
2 Hull	3	1.5	1.5	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
37/40 (6)		size -1	f+1	
Speed: 100/195		RS	8/39	

M13/40				
Location	Front	Side	Rear	
10 Turret	4	3	3	
9 Turret	4r	3	3	
8 Turret	4	3	3	
7 Hull	3	3	3	
6 Hull	3	3	3	
5 Hull	5	3	3	
4 Track	1.5	1.5^5	1.5	
3 Hull	3	3	3	
2 Hull	3	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
47/32 M.37 (6)		size 0	f+1	
Speed: 95/190		RM	11/40	

M14/41				
Location	Front	Side	Rear	
10 Turret	4	3	3	
9 Turret	4r	3	3	
8 Turret	4	3	3	
7 Hull	4	3	3	
6 Hull	4	3	3	
5 Hull	5	3	3	
4 Track	1.5	1.5^5	1.5	
3 Hull	3	3	3	
2 Hull	3	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
47/32 M.37 (6)		size 0	f+2	
Speed: 110/225		RM	6/41	

M15/42				
Location	Front	Side	Rear	
10 Turret	5	3	3	
9 Turret	4r	3	3	
8 Turret	5	3	3	
7 Hull	4	3	3	
6 Hull	4	3	3	
5 Hull	5	3	3	
4 Track	1.5	1.5^5	1.5	
3 Hull	4	3	3	
2 Hull	3	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
47/40 L.44 (6)		size 0	f+1	
Speed: 120/240		RM	1/43	

Semovente L.40 da 47/32				
Location	Front	Side	Rear	
10 SuperS	3	1.5	1.5	
9 SuperS	5r	1.5	1.5	
8 SuperS	4	1.5	1.5	
7 SuperS	4	1.5	1.5	
6 Hull	5	1.5	1.5	
5 Hull	3	1.5	1.5	
4 Track	1	1^3	1	
3 Hull	3	1.5	1.5	
2 Hull	3	1.5	1.5	
1 Track	1	1	1	
Top	T 2	D 2		
47/32 M.35 (6)		size -2	f+1	
Speed: 125/250			1/42	

Semovente M.40 da 75/18				
Location	Front	Side	Rear	
10 SuperS	3	3	3	
9 SuperS	3/5r	3	3	
8 SuperS	3	3	3	
7 SuperS	3	3	3	
6 Hull	5	3	3	
5 Hull	3	3	3	
4 Track	1.5	1.5^5	1.5	
3 Hull	3	3	3	
2 Hull	3	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
75/18 (4)		size -2	f+1	
Speed: 95/190			1/42	

Semovente M.41 da 75/18				
Location	Front	Side	Rear	
10 SuperS	5	3	3	
9 SuperS	5r	3	3	
8 SuperS	5	3	3	
7 SuperS	5	3	3	
6 Hull	5	3	3	
5 Hull	3	3	3	
4 Track	1.5	1.5^5	1.5	
3 Hull	3	3	3	
2 Hull	3	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
75/18 (4)		size -2	f+2	
Speed: 110/225			6/42	

Semovente M.42 da 75/34				
Location	Front	Side	Rear	
10 SuperS	5	3	3	
9 SuperS	5r	3	3	
8 SuperS	5	3	3	
7 SuperS	5	3	3	
6 Hull	5	3	3	
5 Hull	3	3	3	
4 Hull	1.5	1.5^5	1.5	
3 Track	3	3	3	
2 Hull	3	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
75/34 (4)		size -2	f+1	
Speed: 120/240			4/43	

Semovente M.43 da 105/25				
Location	Front	Side	Rear	
10 SuperS	8	5	3	
9 SuperS	5r	5	3	
8 SuperS	8	5	3	
7 SuperS	8	5	3	
6 Hull	7	3	3	
5 Hull	9	3	3	
4 Hull	1.5	1.5^5	1.5	
3 Track	9	3	3	
2 Hull	9	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
105/25 (4)		size -2	f+1	
Speed: 120/140			4/43	

Semovente M.43 da 105/25 late				
Location	Front	Side	Rear	
10 SuperS	8+2	6	3	
9 SuperS	5r	6	3	
8 SuperS	8+2	6	3	
7 SuperS	8+2	6	3	
6 Hull	7	3	3	
5 Hull	9	3	3	
4 Hull	1.5	1.5^5	1.5	
3 Track	9	3	3	
2 Hull	9	3	3	
1 Track	1.5	1.5	1.5	
Top	T 2	D 2		
105/25 (4)		size -2	f+1	
Speed: 120/140			9/43	

Semovente 90/53				
Location	Front	Side	Rear	
10 SuperS	3	3/0	0	
9 SuperS	4	3/0	0	
8 SuperS	4	3/0	0	
7 SuperS	4	3/0	0	
6 Hull	5	3	3	
5 Hull	5	3	3	
4 Track	1.5	1.5^5	1.5	
3 Hull	3	3	3	
2 Hull	3	3	3	
1 Track	1.5	1.5	1.5	
Top	D 1	T 1/0		
90/53 (4)		size -1		
Speed: 105/210			7/43	

P26/40				
Location	Front	Side	Rear	
10 Turret	6	5	4	
9 Turret	6r	5	4	
8 Turret	6	5	4	
7 Hull	7	5	4	
6 Hull	7	5	4	
5 Hull	7	5	4	
4 Track	2	2^6	2	
3 Hull	9	4	5	
2 Hull	9	4	5	
1 Track	2	2	2	
Top	T 3	D 3		
75/34 (8)		size 0		
Speed: 125/250		RM	9/43	

L3/33				
Location	Front	Side	Rear	
10 SuperS	1.5	1	.5	
9 SuperS	1.5	1	.5	
8 SuperS	1.5	1	.5	
7 SuperS	1.5	1	.5	
6 Hull	3	1	1	
5 Hull	1	1	1	
4 Track	.5	.5^1.5	.5	
3 Hull	1	1	1	
2 Hull	1	1	1	
1 Track	.5	.5	.5	
Top	T 1	D 1		
2 x Fiat MMG		size -3	f+1	
Speed: 75/125			6/33	

L3/35				
Location	Front	Side	Rear	
10 SuperS	1.5	1	.5	
9 SuperS	1.5	1	.5	
8 SuperS	1.5	1	.5	
7 SuperS	1.5	1	.5	
6 Hull	3	1	1	
5 Hull	1	1	1	
4 Track	.5	.5^1.5	.5	
3 Hull	1	1	1	
2 Hull	1	1	1	
1 Track	.5	.5	.5	
Top	T 1	D 1		
20mm Solothurn		size -3	f+1	
Speed: 125/250			6/35	

L3/38				
Location		Front	Side	Rear
10	SuperS	1.5	1	.5
9	SuperS	1.5	1	.5
8	SuperS	1.5	1	.5
7	SuperS	1.5	1	.5
6	Hull	3	1	1
5	Hull	1	1	1
4	Track	.5	.5^1.5	.5
3	Hull	1	1	1
2	Hull	1	1	1
1	Track	.5	.5	.5
	Top	T 1	D 1	
13.2mmMG			size -3	f+1
Speed: 125/250				6/38



Italian Tank gun and Artillery List

M41 Carro Commando					Autoblinda 40,41				
Location	Front	Side	Rear		Location	Front	Side	Rear	
10	SuperS	3	3	3	10	Turret	2	1	1
9	SuperS	3	3	3	9	Turret	2	1	1
8	SuperS	3	3	3	8	Hull	1	1	1
7	SuperS	3	3	3	7	Hull	1	1	1
6	Hull	3	3	3	6	Hull	1	1	1
5	Hull	3	3	3	5	Hull	1	1	1
4	Track	1.5	1.5^5	1.5	4	Hull	1.5	1	1
3	Hull	3	3	3	3	Wheel	.5	.5	.5
2	Hull	3	3	3	2	Hull	1.5	1	1
1	Track	1.5	1.5	1.5	1	Hull	1.5	1	1
	Top	T 2	D 1.5			Top	T 1	D 1	
13.2mmMG (ac)				size -2 f+1	20mm M.35 (ac)				size 0
Speed: 125/250				6/41	Speed: 125/465				R F 6/40

20mm Solothurn	D	S	Pen.	3	2									
AP	8	1	Range	90	340									
when RoF=5			To Hit	1 ^{7.13}	2 ^{8.14}	3 ^{9.15}	4 ¹⁰	5 ¹¹	6 ¹²	7 ¹³	8 ¹⁴	9 ¹⁵	10	
50%			Range	120	140	160	170	190	200	220	240	280	340	

20mm M.35	D	S	Pen.	4	3	2								
AP	8	1	Range	60	230	370								
when RoF=ac			To Hit	1 ^{3.5}	2 ^{4.6}	3 ^{5.7}	4 ^{6.8}	5 ^{7.9}	6 ^{8.10}	7 ^{9.11}	8 ^{10.12}	9 ¹¹	10 ¹²	
41%			Range	120	140	170	180	200	220	240	260	300	370	

37/40 L40	D	S	Pen.	5	4	3	2							
AP	8	1	Range	120	270	460	570							
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
[26%]			Range	160	190	220	250	280	310	340	380	450	570	
37/40 L40	D	S	Pen.	5	4	3	2							
APHE	8	1	160	110	270	460	579							
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
[26%]			Range	160	190	220	250	280	310	340	380	450	570	

47/32 M.37	D	S	Pen.	5	4	3								
APHE	7	1	Range	240	440	580								
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
26%			Range	160	180	220	250	270	300	340	390	460	580	
47/32 M.37	D	S	Pen.	5	4	3								
APCBC	7	1	240	130	570	610								
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
			Range	160	190	230	260	290	320	360	420	500	660	
effetto pronto	D	S	Pen.	4										
HEAT	8	1	Range	all										
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
[26%]			Range	70	80	100	110	120	140	160	190	230	320	

47/32 M.35	D	S	Pen.	5	4	3.5	3							
APBCHE	7	1	Range	130	570	650	660							
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
[26%]			Range	160	190	230	260	290	320	360	420	500	660	
effetto pronto	D	S	Pen.	4										
HEAT	8	1	Range	all										
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
			Range	70	80	100	110	120	140	160	190	230	320	

47/40 L44	D	S	Pen.	7	6	5	4							
APCBC	7	1	Range	90	440	780	820							
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
[26%]			Range	200	240	290	330	370	410	470	530	630	820	
effetto pronto	D	S	Pen.	4										
HEAT	7	1	Range	all										
when RoF=6			To Hit	1 ^{6.11}	2 ^{7.12}	3 ^{8.13}	4 ^{9.14}	5 ^{10.15}	6 ¹¹	7 ¹²	8 ¹³	9 ¹⁴	10 ¹⁵	
			Range	90	100	120	140	150	170	200	230	280	390	

75/18 M34	D	S	Pen.	5	4									
APHE	6	1	Range	320	530									
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
[26%]			Range	120	140	170	190	220	240	280	320	390	530	
effetto pronto	D	S	Pen.	7										
HEAT	7	1	Range	all										
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
[26%]			Range	90	110	130	150	170	190	220	250	310	430	

75/34 M35	D	S	Pen.	8	7	6								
APHE	6	1	Range	200	580	660								
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
[26%]			Range	160	180	220	250	280	320	360	410	500	660	
E.P.S.	D	S	Pen.	9										
HEAT (9/42)	7	1	Range	all										
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
[26%]			Range	130	160	190	210	240	270	300	350	430	580	

75/46 M34	D	S	Pen.	11	10	9	8							
APHE	6	1	Range	130	400	690	810							
when RoF=8			To Hit	1 ^{5.8}	2 ^{6.9}	3 ^{7.10}	4 ^{8.11}	5 ^{9.12}	6 ¹⁰	7 ¹¹	8 ¹²	9 ¹³	10 ¹⁴	
[26%]			Range	190	230	270	310	350	390	440	510	610	810	
E.P.S.	D	S	Pen.	8										
HEAT (9/42)	7	1	Range	all										
when RoF=8			To Hit	1 ^{5.8}	2 ^{6.9}	3 ^{7.10}	4 ^{8.11}	5 ^{9.12}	6 ¹⁰	7 ¹¹	8 ¹²	9 ¹³	10 ¹⁴	
[26%]			Range	120	140	170	190	210	240	270	310	370	500	
75/46	D	S	Pen.	3.5	3	2.5	2	1.5						
HE	5	1	Range	200	350	550	750	760						
when RoF=8			To Hit	1 ^{5.8}	2 ^{6.9}	3 ^{7.10}	4 ^{8.11}	5 ^{9.12}	6 ¹⁰	7 ¹¹	8 ¹²	9 ¹³	10 ¹⁴	11
[26%]			Range	140	170	200	230	250	280	320	360	430	580	760

90/53 L58	D	S	Pen.	16	15	14	13	12						
APHE	5	9	Range	150	280	430	740	930						
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
[26%]			Range	220	270	320	360	400	450	510	580	700	930	
effetto pronto	D	S	Pen.	9										
HEAT	5	9	Range	all										
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
			Range	160	180	220	250	280	310	350	410	500	680	

100/17 L22	D	S	Pen.	10										
E.P.S.	4	8	Range	ALL										
when RoF=6			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
			Range	110	130	160	180	200	230	260	300	370	510	

105/25 L28	D	S	Pen.	8	7	6								
AP	4	8	Range	20	460	620								
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
			Range	140	170	210	240	270	300	340	390	470	620	
effetto pronto	D	S	Pen.	10										
HEAT	5	8	Range	all										
when RoF=4			To Hit	1 ^{8.15}	2 ⁹	3 ¹⁰	4 ¹¹	5 ¹²	6 ¹³	7 ¹⁴	8 ¹⁵	9	10	
			Range	140	170	210	240	270	300	340	390	470	620	

Notes:

M 13/40 and M14/41 had a semi-automatic breech mechanism.

Semovente 90/53 - may not move and fire in the same turn. The crew dismounts and fires while standing at the rear of the vehicle. This AFV may only fire or hit up to 6 times. More shells may be fired if a L6/40 ammo carrier is parked next to the crew.

© 2019 Steven Lorenz 9/20/2013